

Gnus

Links

- [Gnus 5.11 Reference Card](#)
- [Gnus 5.11 Reference Booklet](#)

Mailto

I use *Gnus* for reading/writing e-mails. To open an *Emacs* mail buffer automatically, when clicking a HTML *mailto* link the following shell script might be useful:

```
#!/bin/sh
# Emacs mailto handler

#choose your line below depending on your favorite web browser, used desktop
GUI respective XDG settings.
emacsclient -a /usr/bin/emacs -c -e "(browse-url-mail \"$@\")"
#emacsclient -a /usr/bin/emacs -e "(browse-url-mail \"mailto:$@\")"
```

To open *Gnus* automatically on C-x m (compose-mail) i guess the following advice from [Stack Overflow](#):

```
(defadvice gnus-msg-mail (before start-gnus activate)
  (require 'gnus-start)
  (unless (gnus-alive-p)
    (save-window-excursion
      (let ((inhibit-redisplay t))
        (gnus))))))
```

Gnus as Emacs client

Starting *Gnus* in *Emacs* client window from command line:

```
emacsclient --no-wait --eval '(gnus-other-frame)'
# or
emacsclient -n -e '(gnus-other-frame)'
```

From:

<https://wiki.rho62.de/> - **rho62 Wiki**

Permanent link:

<https://wiki.rho62.de/doku.php?id=development:emacs:gnus>

Last update: **2025/02/08 11:26**

