

TRAMP

Links

- Will Schenk: [Emacs Tramp tricks](#)
- StackExchange: [How to run sudo commands using shell-command?](#)

Hints

Emacs [TRAMP](#) is very useful when working with [SSH](#) (or SCP). But if an *Emacs* mode does not work as expected on a remote file system this may be caused by the limited terminal features. In that case i suggest to set some special options in your `.bashrc` and/or your [desktop environment](#), for example using this code fragment when working with [Git](#) in [VC mode](#):

```
if [ "${INSIDE_EMACS/*tramp*/tramp}" == "tramp" ] ; then
  export GIT_PAGER=""
fi
```



See also the remote shell setup hints in *Emacs manual*.

I also prefer to set variable `tramp-default-method` to “`scp`”, which is (as an out-of-band file transfer method) more portable than “`ssh`”, especially on embedded (target) systems using *Busybox*. Then you should be able to open a remote file with:

```
C-x C-f /scp:user@remotehost:/path/to/file
```

or

```
C-x C-f /ssh:user@remotehost:/path/to/file
```

From:

<https://wiki.rho62.de/> - **rho62 Wiki**

Permanent link:

<https://wiki.rho62.de/doku.php?id=development:emacs:tramp>

Last update: **2023/08/06 14:31**

